Panasonic CONNECT



Windows 11 Pro Fully Rugged Laptop with 14.0" Outdoor Display and Modular Expansion Areas...

TOUGHBOOK 40

The 14.0" fully-rugged Panasonic TOUGHBOOK 40 laptop breaks new ground offering unrivaled flexibility in even the most demanding and unpredictable environments, including Defence, Mining and Utilities. It has a modular design that allows mobile workers to modify the device quickly and easily for different challenges by equipping 8 expansion areas. The powerful rugged laptop is built for use in the most extreme conditions and designed for field specialists, incorporating quick release self-encrypting secure drives and providing up to 36-hours of battery life to support mission critical operations.

Key Features

Windows 11 Pro

Intel® Core[™] i5-1145G7 vPro[™] Processor (optional Intel® Core[™] i7-1185G7 vPro[™]*)

14.0" Active Matrix (TFT) colour LCD 1920 x 1080 (FHD) with sunlight-viewable glove-enabled touchscreen (up to 1,200cd/m²)

Up to 180cm drop resistance***, IP66 water and dust resistance, MIL-STD 810H certified***

Long battery life of up to 18 hours (up to 36 hours with optional 2nd battery*)



TOUGHBOOK

Panasonic CONNECT





TOUGHBOOK 40

https://oc.connect.panasonic.com/nz /en/products/toughbook-ruggedlaptops-tablets/toughbook-40

Mobile Computing Platform	Intel® Core™ i5-1145G7 vPro™ Processor (optional Intel® Core™ i7-1185G7 vPro™*)
Operating System	Windows 11 Pro
MAM	Built-in 16GB RAM (max 64GB RAM*)
Graphic Chip	Intel® UHD Graphics, supports Intel® Iris® Xe Graphics when 2 RAM Modules installed
torage	Quick release 512GB NVMe OPAL SSD (with heater). Optional 2nd SSD*
.CD	14.0" Active Matrix (TFT) colour LCD 1920 x 1080 (FHD) LCD with sunlight-viewable glove enabled touchscreen (up to 1,200cd/m² brightness)
Bluetooth™	5.1 Class 1
Vireless LAN	Intel® Wi-Fi6 AX201
lobile Broadband*	4G LTE
iPS*	U-Blox NEO-M8J
AN	IEEE 802.3 10Base-T / IEEE 802.3u 100BASE-TX / IEEE 802.3ab 1000BASE-T (optional 2nd GLAN*)
Sound	Waves MaxxAudio® Stereo Speakers
	4 integrated microphones
ecurity	TPM 2.0, Password security, Integrated hardware security lock slot
ront Camera	5MP with IR / privacy shutter (Windows Hello compliant) optional*
ISB 3.2	x2 (Gen 1 Type-A)
hunderbolt 4	x1
licro SDXC Memory Card	x1
IDMI	x1
leadset	x1
DC In	x1
Port Replicator	x1
Quad Path Through Connector	x1
eft Expansion Area**	2nd SSD,
	Smart Card Reader,
	DVD Multi Drive,
	Blu Ray Drive.
Right Expansion Area**	2nd Battery,
	Smart Card Reader.
Rear Expansion Area**	VGA + True Serial (RS232) + 2nd native GLAN,
	USB 3.1 Type A + True Serial (RS232) + 2nd HDMI,
	USB 3.1 Type A + USB 3.1 Type A + 2nd HDMI.
Palm Rest Expansion Area**	Fingerprint reader (Windows Hello),
	Fingerprint reader (Windows Hello, Multi-user authentication),
	Contactless Smart Card Reader.
\C Adapter	Input: 100V - 240V AC, 50Hz/ 60Hz, Output: 15.6V DC, 7.05A
AC Adapter Battery	Lithium-Ion 10.8V, 6500mAh (typical), 6300mAh (minimum)
-	Standard: approx 18 hours (Mobile Mark™ 2014),
Battery Life	Scandard, approx to nours (wobile $Mark = 2014$),
	With optional 2nd battery: approx 36 hours (Mobile Mark™ 2014)*
Power Management	Standby function, ACPI BIOS
Dimensions (WxHxD)	354mm x 301mm x 54.4mm (without protruding parts)
Veight	Approx 3.35kg (depending on configuration)
Drop Resistance	MIL-STD810H, 180cm***
Dust Resistance	IP6x
	IPx6
Operating Temperature	MIL-STD810H, -29°C to +63°C***
Water Resistance Operating Temperature Standard Configuration Included in the box	

Footnote

*Optional

**One option exclusive possible in configuration port / business expansion module

***Tested by an independent third party lab following MIL-STD810H Method 516.8 Procedure IV for transit drop test and Method 501.7 and 502.7 Procedure II for operation temperature test. May differ depending on models and options